


SCHVIED ELSTAHL

Application / Advantages





Floors and facades in the elevator construction



Slip-resistant in the field of industry



Enhanced outing optimisation in public areas

Specially suited for:

- flooring systems
- stairs
- swimming pools
- · cover panels for machinery
- loading ramps and zones for trucks
- cold room floors
- facades
- booth construction
- elevator construction
- train stations / airports / shipbuilding

Advantages:

- slip-resistant surface (German certificate)
- increased stability and rigidity compared to smooth sheeting
- less roll-resistance
- cost-saving due to thinner material
- enhanced outing optimisation

considerably reduction in weight (e.g. at 2500 x 1250 x 3 mm = approx. 13-15 kgs.)

Technical data



Pattern: **SE-TB1**

Standard formats in stock:

2500 x 1250 mm 3000 x 1250 mm 3000 x 1500 mm Coil 1250 / 1500 mm

Fix lengths from coil can be delivered in short-term

Thicknesses

> 0.8 mm ——— < 4.0 mm

Grade-No.:

1.4301 / 1.4404

Surfaces:

- certified slip-resistance
- R11 from coil / R12

Other basic grades and surfaces possible.



Herewith we would like to present our pattern SE-TB1, the latest product from our large product-program. It shows an excellent alternative to the known aluminium checker plates such as to the stainless steel-tear plate.

Due to its new and unique surface the SE-TB1 offers completely new possibilities.

As a slip-resistant floor plate with a low roll-resistance or as a wall cladding, the SE-TB1 can be used in different sectors.

The advantages of the SE-TB1 are obvious. Already thin floor plates are very resiliently.



Considering a sheet in middle format (2500 x 1250 x 3,0mm) the weight advantage is about 13,-kg compared to a conventional tear plate.

Thanks to our modern cut-to-length line we are able to supply fix-lengths or sheets from coil within short time.

As a family business having many years of experiences in the sector of pattern-rolled sheets we are pleased to support you in all of your steps of planning.

Contact us ...

Calculate with us!

SE-TB1 www.schmidt-edelstahl.de

30 years of experience



Extract from our production-program

- pattern-embossed sheets
- · pattern-rolled sheets
- floor plates with certified slip-resistance
- marbled sheets (up to 2000m width)
- · super-mirror sheets
- special finishes up to grain 1000
- profiles and parts of construction
- handrails & handgrips
- sheets for facades

SCH/IEDELSTAHL GMBH

Schmidt Edelstahl GmbH Heinrich-Schicht-Strasse 35 D-42499 Hückeswagen

Fon: +49 (0) 2192/8546-0 Fax: +49 (0) 2192/8546-29 e-mail: info@schmidt-edelstahl.de Niederlassung Süd: Hauptstraße 62 74235 Erlenbach-Binswangen

Fon: +49 (0) 2192/8546-28 Fax: +49 (0) 2192/8546-260

